HGLL

Dimensions in mm.

Material: Galvanized steel




Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.


General Data


Designation	Description	Compatible with	Type	Fmax (N)	Mass (kg)
HGLL 32 - 69429	HGLL 32	PNCE 32	Front cap / Motor adapter mounting	F PNCE	0.21
HGLL 32 MSD - 69617	HGLL 32 MSD	PNCE 32	Motor side drive type T1 mounting	F PNCE	0.21
HGLL 40 - 69166	HGLL 40	PNCE 40	Front cap / Motor adapter mounting	2800	0.26
HGLL 40 MSD - 69618	HGLL 40 MSD	PNCE 40	Motor side drive type T1 mounting	2800	0.26
HGLL 50 - 69167	HGLL 50	PNCE 50	Front cap / Motor adapter mounting	7100	0.64
HGLL 50 MSD - 69619	HGLL 50 MSD	PNCE 50	Motor side drive type T1 mounting	7100	0.64
HGLL 63 - 69168	HGLL 63	PNCE 63	Front cap / Motor adapter mounting	10100	0.87
HGLL 63 MSD - 69620	HGLL 63 MSD	PNCE 63	Motor side drive type T1 mounting	10100	0.87
HGLL 80 - 77284	HGLL 80	PNCE 80	-	13200	1.71
HGLL 100 - 78955	HGLL 100	PNCE 100	-	F PNCE	2.57

Dimensions









Designation	L1	L2	L3	L4	L5	L6	L7	L8	L9
HGLL 32 - 69429	79	65	30	16	-	6 (±0.5)	32.5	58.5	35 (±0.1)
HGLL 32 MSD - 69617	79	65	30	16	-	6 (±0.5)	32.5	58.5	35 (±0.1)
HGLL 40 - 69166	90	75	30	16	-	6 (±0.5)	38	72	45 (±0.1)
HGLL 40 MSD - 69618	90	75	30	16	-	6 (±0.5)	38	72	45 (±0.1)
HGLL 50 - 69167	110	90	35	19	-	10 (±0.5)	46.5	92.5	60 (±0.1)
HGLL 50 MSD - 69619	110	90	35	19	-	10 (±0.5)	46.5	92.5	60 (±0.1)
HGLL 63 - 69168	120	100	50	20	20	10 (±0.5)	56.5	97.5	60 (±0.1)
HGLL 63 MSD - 69620	120	100	50	20	20	10 (±0.5)	56.5	97.5	60 (±0.1)
HGLL 80 - 77284	153	128	62	27	25	12 (±0.5)	72	128.5	82 (±0.1)
HGLL 100 - 78955	178	148	72	27	30	15 (±0.5)	89	137	82 (±0.1)

Designation	L10	L11	D1	D2	D3
HGLL 32 - 69429	47	6 (±0.5)	Ø 30 (H11)	Ø 7 (H13)	Ø 7 (H13)
HGLL 32 MSD - 69617	47	6 (±0.5)	Ø 30 (H11)	Ø 7 (H13)	Ø 7 (H13)
HGLL 40 - 69166	54	6 (±0.5)	Ø 35 (H11)	Ø 7 (H13)	Ø 9 (H13)
HGLL 40 MSD - 69618	54	6 (±0.5)	Ø 35 (H11)	Ø 7 (H13)	Ø 9 (H13)
HGLL 50 - 69167	65	10 (±0.5)	Ø 40 (H11)	Ø 9 (H13)	Ø 9 (H13)
HGLL 50 MSD - 69619	65	10 (±0.5)	Ø 40 (H11)	Ø 9 (H13)	Ø 9 (H13)
HGLL 63 - 69168	75	10 (±0.5)	Ø 45 (H11)	Ø 9 (H13)	Ø 9 (H13)

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Designation	L10	L11	D1	D2	D3
HGLL 63 MSD - 69620	75	10 (±0.5)	Ø 45 (H11)	Ø 9 (H13)	Ø 9 (H13)
HGLL 80 - 77284	93	13 (±0.5)	Ø 60 (H11)	Ø 11 (H13)	Ø 11 (H13)
HGLL 100 - 78955	110	15 (±0.5)	Ø 70 (H11)	Ø 11 (H13)	Ø 11 (H13)

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.