ZK

Dimensions in mm.

Material: Galvanized steel





Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.


General Data

Designation	Description	Compatible with	Fmax (N)	Mass (kg)
ZK 32 - 69075	ZK 32	PNCE 32	F PNCE	0.17
ZK 40 - 69083	ZK 40	PNCE 40	F PNCE	0.43
ZK 50 - 69084	ZK 50	PNCE 50	F PNCE	0.58
ZK 63 - 69085	ZK 63	PNCE 63	F PNCE	1.12
ZK 80 - 83027	ZK 80	PNCE 80	F PNCE	1.57
ZK 100 - 83028	ZK 100	PNCE 100	F PNCE	2.93

Dimensions







Designation	L1	L2	L3	L4	L5	L6	L7	D1	D2
ZK 32 - 69075	46	32.5	50 (h14)	12 (h14)	14	6.5 (+0.2 / 0)	6 (+0.5 / 0)	Ø 6.5	Ø 10.5
ZK 40 - 69083	59	38	63 (h14)	16 (h14)	19	9 (+0.2 / 0)	6 (+0.5 / 0)	Ø 6.5	Ø 10.5
ZK 50 - 69084	69	46.5	75 (h14)	16 (h14)	19	9 (+0.2 / 0)	8 (+0.5 / 0)	Ø 8.5	Ø 13.5
ZK 63 - 69085	84	56.5	90 (h14)	20 (h14)	24	11.5 (+0.2 / 0)	8 (+0.5 / 0)	Ø 8.5	Ø 13.5
ZK 80 - 83027	102	72	110 (h14)	20 (h14)	24	11.5 (+0.2 / 0)	10 (+0.5 / 0)	Ø 10.5	Ø 16.5
ZK 100 - 83028	125	89	132 (h14)	25 (h14)	29	14 (+0.2 / 0)	10 (+0.5 / 0)	Ø 10.5	Ø 16.5

Designation	D3	D4
ZK 32 - 69075	Ø 12 (e9)	Ø 30 (H11)
ZK 40 - 69083	Ø 16 (e9	Ø 35 (H11)
ZK 50 - 69084	Ø 16 (e9	Ø 40 (H11)
ZK 63 - 69085	Ø 20 (e9	Ø 45 (H11)
ZK 80 - 83027	Ø 20 (e9	Ø 60 (H11)
ZK 100 - 83028	Ø 25 (e9	Ø 70 (H11)

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.