

## SG

Dimensions in mm.

**Material:** Galvanized or stainless steel AISI 304



## General Data

Designation	Description	Compatible with	Material	Fmax (N)	Mass (kg)
<b>SG 32 - 9186</b>	SG 32	PNCE 32	Galvanized steel	F PNCE	0.09
<b>SG 32 CR - 69547</b>	SG 32 CR	PNCE 32	Stainless steel AISI 304	F PNCE	0.09
<b>SG 40 - 9189</b>	SG 40	PNCE 40	Galvanized steel	F PNCE	0.15
<b>SG 40 CR - 69548</b>	SG 40 CR	PNCE 40	Stainless steel AISI 304	F PNCE	0.15
<b>SG 50 - 9191</b>	SG 50	PNCE 50	Galvanized steel	F PNCE	0.33
<b>SG 50 CR - 69549</b>	SG 50 CR	PNCE 50	Stainless steel AISI 304	F PNCE	0.33
<b>SG 63 - 9191</b>	SG 63	PNCE 63	Galvanized steel	F PNCE	0.33
<b>SG 63 CR - 69549</b>	SG 63 CR	PNCE 63	Stainless steel AISI 304	F PNCE	0.33
<b>SG 80 - 9192</b>	SG 80	PNCE 80	Galvanized steel	F PNCE	0.68
<b>SG 80 CR - 70248</b>	SG 80 CR	PNCE 80	Stainless steel AISI 304	F PNCE	0.68
<b>SG 100 - 9192</b>	SG 100	PNCE 100	Galvanized steel	F PNCE	0.68
<b>SG 100 CR - 70248</b>	SG 100 CR	PNCE 100	Stainless steel AISI 304	F PNCE	0.68

