Back mount ABM

Dimensions in mm.

Mounting screws and nuts are included.

□ = Square cross section

Material: Stainless steel



Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.


General Data

Designation	Description	Compatible with	Motor compatibility (type/size □ (mm))	Material	Fmax (N)
ABM 25 - T1 - 108239	ABM 25 - T1	MCE 25	Stepper / 28	Stainless steel	F MCE
ABM 32 - T1 - 108237	ABM 32 - T1	MCE 32	Stepper / 28	Stainless steel	F MCE
ABM 32 - T2 - 108238	ABM 32 - T2	MCE 32	Stepper / 42	Stainless steel	F MCE
ABM 45 - T1 - 108235	ABM 45 - T1	MCE 45	Stepper / 42	Stainless steel	F MCE
ABM 45 - T2 - 105320	ABM 45 - T2	MCE 45	Stepper / 56	Stainless steel	F MCE


Designation	Mass (kg)	T (Nm)
ABM 25 - T1 - 108239	0.14	0.3
ABM 32 - T1 - 108237	0.24	1.2
ABM 32 - T2 - 108238	0.29	1.2
ABM 45 - T1 - 108235	0.62	2.2
ABM 45 - T2 - 105320	0.72	2.2


Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.


Dimensions




For fixed/simple support









* MCE/MSCE mounting nuts and screws

Designation	M	L1	L2	L3	L4	L5	L6	L7	L8
ABM 25 - T1 - 108239	M4	165	30.5	27.5	35	18	13.5	28	12
ABM 32 - T1 - 108237	M5	170	38.5	35	40	22	13.5	28	12
ABM 32 - T2 - 108238	M5	200	46	35	40	22	13.5	28	12
ABM 45 - T1 - 108235	M6	210	53.5	49	50	32	20	40	16
ABM 45 - T2 - 105320	M6	245	64.9	49	50	32	20	40	16

Designation	L9	L10	L11	L12
ABM 25 - T1 - 108239	29.8	35.5	27	2.5
ABM 32 - T1 - 108237	37.7	44.5	34	3
ABM 32 - T2 - 108238	37.7	52	34	3
ABM 45 - T1 - 108235	52.7	61.5	48	4
ABM 45 - T2 - 105320	52.7	72.9	48	4

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.