

Table of contents


- **PP3010 – Profile 30x30**
- **PP3060 – Profile 30x30L**
- **PP3020 – Profile 30x60**
- **PP3070 – Profile 30x60 L**
- **PP3160 – Profile 30x30 R90° L**
- **PP3120 – Profile 30x30 2N 90°L**
- **PP3130 – Profile 30x30 2N 180 L**
- **PP3110 – Profile 30x30 3NL**
- **PP3150 – Profile 30x30 45° L**
- **PP3030 – Profile 30x120**
- **PP3080 – Profile 30x120 L**
- **PP3040 – Profile 60x60**
- **PP3090 – Profile 60x60 L**
- **PP3050 – Profile 60x120**
- **PP3100 – Profile 60x120 L**

PP3010 – Profile 30x30

System: 30 - Slot 6

Dimensions: 30x30

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3010	4.13	4.13	2.75	2.75	4.6


Designation	Mass (kg/m)
PP3010	1.24

PP3060 – Profile 30x30L

System: 30 - Slot 6

Dimensions: 30x30

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3060	2.88	2.88	1.92	1.92	3.34


Designation	Mass (kg/m)
PP3060	0.9

PP3020 – Profile 30x60

System: 30 - Slot 6

Dimensions: 30x60

Length (mm): 6000



General Data

Designation	I _x (cm ⁴)	I _y (cm ⁴)	W _x (cm ³)	W _y (cm ³)	A (cm ²)
PP3020	28.9	7.85	9.63	5.24	8.32


Designation	Mass (kg/m)
PP3020	2.24

PP3070 – Profile 30x60 L

System: 30 - Slot 6

Dimensions: 30x60

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3070	20.8	5.47	6.93	3.65	5.94


Designation	Mass (kg/m)
PP3070	1.61

PP3160 – Profile 30x30 R90° L

System: 30 - Slot 6

Dimensions: 30x30

Length (mm): 3000



General Data

Designation	I _x (cm ⁴)	I _y (cm ⁴)	W _x (cm ³)	W _y (cm ³)	A (cm ²)
PP3160	2.14	2.14	1.3	1.3	2.99


Designation	Mass (kg/m)
PP3160	0.81

PP3120 – Profile 30x30 2N 90°L

System: 30 - Slot 6

Dimensions: 30x30

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3120	3.02	3.02	1.98	1.98	3.48


Designation	Mass (kg/m)
PP3120	0.94

PP3130 – Profile 30x30 2N 180 L

System: 30 - Slot 6

Dimensions: 30x30

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3130	2.89	3.17	1.92	2.11	3.48


Designation	Mass (kg/m)
PP3130	0.94

PP3110 – Profile 30x30 3NL

System: 30 - Slot 6

Dimensions: 30x30

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3110	3.02	3.02	2.88	2.88	3.41


Designation	Mass (kg/m)
PP3110	0.92

PP3150 – Profile 30x30 45° L

System: 30 - Slot 6

Dimensions: 30x30

Length (mm): 3000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3150	2.2	2.2	1.32	1.32	3.05


Designation	Mass (kg/m)
PP3150	0.82

PP3030 – Profile 30x120

System: 30 - Slot 6

Dimensions: 30x120

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3030	207.28	15.31	34.55	10.2	15.73


Designation	Mass (kg/m)
PP3030	4.26

PP3080 – Profile 30x120 L

System: 30 - Slot 6

Dimensions: 30x120

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3080	149.85	10.81	24.97	7.21	11.34


Designation	Mass (kg/m)
PP3080	3.06

PP3040 – Profile 60x60

System: 30 - Slot 6

Dimensions: 60x60

Length (mm): 6000




General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3040	53.13	53.13	17.71	17.71	13.1

Designation	Mass (kg/m)
PP3040	3.54

PP3090 – Profile 60x60 L

System: 30 - Slot 6
Dimensions: 60x60
Length (mm): 6000



General Data

Designation	I _x (cm ⁴)	I _y (cm ⁴)	W _x (cm ³)	W _y (cm ³)	A (cm ²)
PP3090	38.69	38.69	12.9	12.9	9.71


Designation	Mass (kg/m)
PP3090	2.62

PP3050 – Profile 60x120

System: 30 - Slot 6

Dimensions: 60x120

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3050	101.82	342	33.94	57	24.47


Designation	Mass (kg/m)
PP3050	6.61

PP3100 – Profile 60x120 L

System: 30 - Slot 6

Dimensions: 60x120

Length (mm): 6000



General Data

Designation	Ix (cm ⁴)	Iy (cm ⁴)	Wx (cm ³)	Wy (cm ³)	A (cm ²)
PP3100	74.95	252.26	24.98	42.04	18.07

Designation	Mass (kg/m)
PP3100	4.88