

LG

Dimensions in mm.


Material: Aluminium or stainless steel AISI 304



General Data

Designation	Compatible with	Material	Fmax (N)	Mass (kg)
LG 32 - 8119	PNCE 32	Aluminium	FPNCE	0.06
LG 32 CR - 69505	PNCE 32	Stainless steel AISI 304	FPNCE	0.16
LG 40 - 8120	PNCE 40	Aluminium	FPNCE	0.14
LG 40 CR - 69506	PNCE 40	Stainless steel AISI 304	FPNCE	0.24
LG 50 - 8121	PNCE 50	Aluminium	9200	0.14
LG 50 CR - 69507	PNCE 50	Stainless steel AISI 304	9200	0.42
LG 63 - 8122	PNCE 63	Aluminium	15300	0.2
LG 63 CR - 69508	PNCE 63	Stainless steel AISI 304	15300	0.53
LG 80 - 8123	PNCE 80	Aluminium	19200	0.39
LG 80 CR - 83087	PNCE 80	Stainless steel AISI 304	19200	0.98
LG 100 - 8117	PNCE 100	Aluminium	FPNCE	0.55
LG 100 CR - 83088	PNCE 100	Stainless steel AISI 304	FPNCE	1.48

Dimensions



SIMPLE SUPPORT

Designation	L1	L2	L3	L4	L5	L6	L7	L8	L9
LG 32 - 8119	51	38	26	32	24	10	6.4	18	31
LG 32 CR - 69505	51	38	26	32	24	10	6.4	18	31
LG 40 - 8120	54	41	28	36	26	15	8.4	22	35
LG 40 CR - 69506	54	41	28	36	26	15	8.4	22	35
LG 50 - 8121	65	50	32	45	33	16	10.4	30	45
LG 50 CR - 69507	65	50	32	45	33	16	10.4	30	45
LG 63 - 8122	67	52	40	50	36	16	12.4	35	50
LG 63 CR - 69508	67	52	40	50	36	16	12.4	35	50
LG 80 - 8123	86	66	50	63	49	20	11.5	40	60
LG 80 CR - 83087	86	66	50	63	49	20	11.5	40	60
LG 100 - 8117	96	76	60	71	54	20	14.5	50	70
LG 100 CR - 83088	96	76	60	71	54	20	14.5	50	70

Designation	L10	D1	D2	R1	R2
LG 32 - 8119	21	Ø 10 (H9)	Ø 6.6 (H13)	10	5.5
LG 32 CR - 69505	21	Ø 10 (H9)	Ø 6.6 (H13)	10	5.5
LG 40 - 8120	24	Ø 12 (H9)	Ø 6.6 (H13)	11	5.5
LG 40 CR - 69506	24	Ø 12 (H9)	Ø 6.6 (H13)	11	5.5
LG 50 - 8121	33	Ø 12 (H9)	Ø 9 (H13)	13	7.5
LG 50 CR - 69507	33	Ø 12 (H9)	Ø 9 (H13)	13	7.5
LG 63 - 8122	37	Ø 16 (H9)	Ø 9 (H13)	15	7.5
LG 63 CR - 69508	37	Ø 16 (H9)	Ø 9 (H13)	15	7.5
LG 80 - 8123	47	Ø 16 (H9)	Ø 11 (H13)	15	9
LG 80 CR - 83087	47	Ø 16 (H9)	Ø 11 (H13)	15	9
LG 100 - 8117	55	Ø 20 (H9)	Ø 11 (H13)	19	9
LG 100 CR - 83088	55	Ø 20 (H9)	Ø 11 (H13)	19	9